

April 15, 2011

**COMMONWEALTH OF VIRGINIA
DEPARTMENT OF GENERAL SERVICES
DIVISION OF PURCHASING AND SUPPLY
SPECIFICATIONS FOR TRAILER MOBILE SOFT WALL SHELTER SYSTEM**

PURPOSE:

The purpose of this specification is to establish purchasing criteria for a trailer mobile soft wall shelter system for use of the Department of Health, Agencies, and other Public Bodies of the Commonwealth of Virginia. The mobile shelter system in this specification is for response by the Department of Health to catastrophe or a major health emergency.

SCOPE:

This specification describes a quantity of (2) trailer mobile shelter systems, each to be delivered to a separate location in the Roanoke, Virginia area.

The following specifications describe products of HDT Technologies, and are intended to define the general description, and level of quality and performance of the requested product, and are meant to be met or exceeded. The specifications are not meant to be restrictive as to brand name or manufacturer. All equipment bid may be the brand name and model, or shall be equivalent to brand names and/or any other specification elements using the Use of Brand Names clause (see General Terms and Conditions) in making an equivalence determination.

BIDDER REQUIREMENTS:

The product offered in answer to this request for bid must be suitable for the purpose intended, as a mobile drive-through medical facility, for response to catastrophe or a major health emergency, and provided with all features that meet the specifications requirements.

The shelter systems provided must be delivered correctly packaged, stowed, and undamaged in its trailer to the designated Department of Health receiving locations at:

- (A) Roanoke, Virginia area location to be announced (Street address to be supplied)
- (B) Roanoke, Virginia area location to be announced (Street address to be supplied)

Each shelter system must be put in service by a representative of the contractor at each delivery location. The representative must demonstrate how to unpack, assemble, and re-pack the shelter system for Department of Health personnel. The representative must also show that all equipment operates correctly, with no defects in materials, parts, or accessories. The representative must also instruct Department of Health personnel in operation, safety requirements, and maintenance of the shelter system.

Bidders/Vendors shall submit complete technical data of the product being offered, with an itemized comparison of the product offered with these specifications. Bidders/Vendors shall indicate equivalence on the specifications form next to each specification item, using the lines provided across from the specification items. A blank line at a specification item indicates compliance with the item. Bidder shall provide pertinent technical data documenting dimensions, quality, features, functions, and performance as necessary to convey equivalence. All figures are approximate unless stated otherwise. Bidders/Vendors shall indicate any deviations with appropriate reasons and documentation. The Commonwealth reserves the right to obtain technical data and to request clarification when deemed necessary. **Failure on the part of the bidder/Vendor to provide all requested documentation may be cause to reject the bid/request as non-responsive.**

WARRANTY INFORMATION SECTION:

Provide information on warranty for trailers and shelter systems: _____

PRICING INFORMATION SECTION:

Price for Item I: 18' Mobility Trailer, including delivery with shelter packaged, to Roanoke VA area location (A): \$ _____

Price for Item II: Single Drive Through Shelter System, including packaging in mobility trailer, and providing placement in service training to Department of Health personnel as specified in "Bidder Requirements" section: \$ _____

TOTAL PRICE FOR (1) MOBILITY TRAILER AND SINGLE DRIVE THROUGH SHELTER SYSTEM, INCLUDING DELIVERY AND PLACEMENT IN SERVICE TRAINING..... \$ _____

Price for Item I: 18' Mobility Trailer, including delivery with shelter packaged, to Roanoke VA area location (B): \$ _____

Price for Item II: Single Drive Through Shelter System, including packaging in mobility trailer, and providing placement in service training to Department of Health personnel as specified in "Bidder Requirements" section: \$ _____

TOTAL PRICE FOR (1) MOBILITY TRAILER AND SINGLE DRIVE THROUGH SHELTER SYSTEM, INCLUDING DELIVERY AND PLACEMENT IN SERVICE TRAINING..... \$ _____

TOTAL PRICE FOR ALL (2) MOBILITY TRAILER DRIVE THROUGH SHELTER SYSTEMS, INCLUDING (2) TRAILERS, DELIVERY TO (A) AND (B) LOCATIONS, AND PLACEMENT IN SERVICE TRAINING OF PERSONNEL AT ALL (3) LOCATIONS..... \$ _____